

CONTENTS

PREFACE	v
<i>I STRUCTURE OF BIMATERIAL INTERFACES</i>	
Supermodulus effect in metallic superlattices of grain boundaries D. Wolf (Argonne, IL, U.S.A.)	1
Elastic properties of Cu-Co multilayers J. R. Dutcher, S. Lee, C. D. England, G. I. Stegeman and C. M. Falco (Tucson, AZ, U.S.A.)	13
Structural and elastic property changes in Ag/Co superlattices induced by high energy ion irradiation . . . E. Fullerton, I. K. Schuller (San Diego, CA, U.S.A.), R. Bhadra, M. Grimsditch (Argonne, IL, U.S.A.) and S. M. Hues (Washington, DC, U.S.A.)	19
Ion-beam-sputtered Cu/Ni and Fe/Ni multilayers C. Kim, S. B. Qadri, P. Lubitz (Washington, DC, U.S.A.), T. E. Schlesinger, R. C. Cammarata (Baltimore, MD, U.S.A.) and A. S. Edelstein (Washington, DC, U.S.A.)	25
Model studies of composition-modulated Cu-Ni superlattices. J. W. Mintmire (Washington, DC, U.S.A.)	29
Interface electronic structure of XD TM titanium aluminide composites D. D. Vvedensky (London, U.K.), M. E. Eberhart (Los Alamos, NM, U.S.A.), L. Christodoulou (Baltimore, MD, U.S.A.), S. Crampin (London, U.K.) and J. M. MacLaren (Los Alamos, NM, U.S.A.)	33
The dislocation structure and energy of NiO-Pt interfaces. F.-S. Shieu and S. L. Sass (Ithaca, NY, U.S.A.)	41
<i>II MECHANICAL INTERROGATION OF COMPOSITE INTERFACES</i>	
The fracture energy of bimaterial interfaces. A. G. Evans, M. Rühle, B. J. Dalgleish, P. G. Charalambides (Santa Barbara, CA, U.S.A.)	53
Failure of bimaterial interfaces A. G. Varias, N. P. O'Dowd (Providence, RI, U.S.A.), R. J. Asaro (San Diego, CA, U.S.A.) and C. F. Shih (Providence, RI, U.S.A.)	65
An indentation method for measuring residual stresses in fiber-reinforced ceramics D. B. Marshall (Thousand Oaks, CA, U.S.A.) and W. C. Oliver (Oak Ridge, TN, U.S.A.)	95
Measurement of interface strength by laser-pulse-induced spallation. V. Gupta, A. S. Argon, J. A. Cornie and D. M. Parks (Cambridge, MA, U.S.A.)	105
Measurement of residual stresses in graphite-Al and graphite-Mg composites by acoustic emission techniques J. H. Armstrong, S. P. Rawal and M. S. Misra (Denver, CO, U.S.A.)	119
Ultimate shear strengths of copper-silica and nickel-silica interfaces D. C. Agrawal and R. Raj (Ithaca, NY, U.S.A.)	125
Measurement of the interfacial strength of fibers and thin films. W. Sachse (Ithaca, NY, U.S.A.)	133
Wave propagation in the presence of interface layers in composites S. K. Datta (Boulder, CO, U.S.A.), A. H. Shah, W. Karunasena (Winnipeg, Manitoba, Canada), P. Olsson and A. Boström (Gothenburg, Sweden)	141
Three methods for measuring the ultrasonic velocity in thin films. A. Moreau, J. B. Ketterson and J. Huang (Evanston, IL, U.S.A.)	149
Determination of the properties of composite interfaces by an ultrasonic method. A. K. Mal, M. R. Karim (Los Angeles, CA, U.S.A.) and Y. Bar-Cohen (Long Beach, CA, U.S.A.)	155
Creep deformation of alumina-SiC composites. S. R. Nutt, P. Lipetzky (Providence, RI, U.S.A.) and P. F. Becher (Oak Ridge, TN, U.S.A.)	165

CONTENTS (continued)

III REACTIONS AT COMPOSITE INTERFACES

Thermodynamics and kinetics of reactions at interfaces in composites.	173
C. A. Handwerker, J. W. Cahn and J. R. Manning (Gaithersburg, MD, U.S.A.)	
Interface reactions and wetting in carbon-fiber-reinforced glass matrix composites.	191
C. G. Pantano, G. Chen and D. Qi (University Park, PA, U.S.A.)	
Interfacial studies of chemical-vapor-infiltrated ceramic matrix composites	203
J. J. Brennan (East Hartford, CT, U.S.A.)	
Interfacial reactions in Ti/SiC layered films with and without thin diffusion barriers	225
M. Nathan and J. S. Ahearn (Baltimore, MD, U.S.A.)	
Residual microstructural chloride in graphite-aluminum metal matrix composites	231
L. H. Hihara and R. M. Latanision (Cambridge, MA, U.S.A.)	

IV RELATION BETWEEN MATRIX PROPERTIES AND INTERFACIAL BEHAVIOR IN ORGANIC COMPOSITES

Surface characterization of carbon fibers and interphase phenomena in epoxy-reinforced composites . . .	235
C. Sellitti, J. L. Koenig and H. Ishida (Cleveland, OH, U.S.A.)	
Non-destructive characterization of epoxy-dicyandiamide interphases using surface-enhanced Raman scattering.	245
F. J. Boerio and P. P. Hong (Cincinnati, OH, U.S.A.)	
Solid state ^{15}N nuclear magnetic resonance of ^{15}N -labeled nylon 6 and nylon 11: observation of multiple crystalline forms and amorphous regions	253
L. J. Mathias, D. G. Powell (Hattiesburg, MS, U.S.A.), J.-P. Autran and R. S. Porter (Amherst, MA, U.S.A.)	
Nuclear magnetic resonance studies of the hydrolysis and molecular motion of aminopropylsilane	265
H.-J. Kang, W. Meesiri and F. D. Blum (Rolla, MO, U.S.A.)	
Matrices that expand on curing for high strength composites and adhesives	271
W. J. Bailey (College Park, MD, U.S.A.)	
An examination of the strain-induced orientation of hard segment domains in 4,4'-methylenebis(phenyl isocyanate)-based polyurethane-diacetylene segmented copolymers	281
P. T. Hammond, R. A. Nallicheri and M. F. Rubner (Cambridge, MA, U.S.A.)	
The effect of polymeric matrix mechanical properties on the fiber-matrix interfacial shear strength	289
L. T. Drzal (East Lansing, MI, U.S.A.)	
Prediction of fiber-matrix interphase properties and their influence on interface stress, displacement and fracture toughness of composite material	295
H. C. Tsai, A. M. Arocho and L. W. Gause (Warminster, PA, U.S.A.)	
Properties of the interphase in organic matrix composites.	305
J. G. Williams (Houghton, MI, U.S.A.), M. E. Donnellan (Warminster, PA, U.S.A.), M. R. James and W. L. Morris (Thousand Oaks, CA, U.S.A.)	
AUTHOR INDEX	313
SUBJECT INDEX	315

L

6

E

5

90

I